ELSEVIER

Journal of Computational and Applied Mathematics 51 (1994) 413–414

JOURNAL OF COMPUTATIONAL AND APPLIED MATHEMATICS

Author Index to Volume 51 (1994)

(The issue number is given in front of the page numbers.)

Argyros, I.K., D. Chen and **Q. Qian**, The Jarratt method in Banach space setting (*Letter*) (1) 103–106

Bentbib, A.H., Acceleration of convergence of interval sequences (3) 395–409
Bui Doan Khanh, Hermite predictor–corrector scheme for regular Volterra integral equations and for some integro-differential equations of turbulent diffusion (3) 305–316
Butzer, P.L. and **G. Schöttler**, Sampling theorems associated with fourth- and higher-order self-adjoint eigenvalue problems (2) 159–177

Carl, S. and **C. Grossmann**, Boundary value problems with discontinuities and monotone discretization (3) 293–303
Chen, D., see **Argyros, I.K.** (1) 103–106
Cools, R. and **A. Haegemans**, An imbedded family of cubature formulae for n-dimensional product regions (*Algorithm 35*) (2) 251–262

Dahmen, W., P. Oswald and **X.-Q. Shi**, C^1-hierarchical bases (1) 37– 56
Dang, Q.A., Approximate method for solving an elliptic problem with discontinuous coefficients (2) 193–203
De Meyer, H., see **Van Daele, M.** (3) 383–394
Dimas, E., see **Simos, T.E.** (3) 317–326
Dimitrov, D.K. and **G.M. Phillips**, A note on convergence of Newton interpolating polynomials (*Letter*) (1) 127–130
Erratum (3) 411

El-Tantawy, M.R., see **Mikhail, M.N.** (1) 15– 36

Görlich, E., C. Markett and **O. Stüpp**, Integral formulas associated with products of Bessel functions: a new partial differential equation approach (2) 135–157
Graves-Morris, P.R. and **D.E. Roberts**, From matrix to vector Padé approximants (2) 205–236
Grossmann, C., see **Carl, S.** (3) 293–303

Haegemans, A., see **Cools, R.** (2) 251–262
Han, B., D. Zhang and **J. Liu**, A new class of methods for solving nonlinear equations (*Letter*) (1) 107–111
Han, G. and **L. Zhang**, Asymptotic expansion for the trapezoidal Nyström method of linear Volterra–Fredholm equations (3) 339–348
Hanna, S.N., Influence of surface tension on free-surface flow over a polygonal and curved obstruction (3) 357–374
Hartmann, T. and **E.P. Stephan**, Rates of convergence for collocation with Jacobi polynomials for the airfoil equation (2) 179–191
Hasegawa, T. and **T. Torii**, Hilbert and Hadamard transforms by generalized Chebyshev expansion (1) 71– 83

Jumarhon, B., S. McKee and **T. Tang**, The proof of an inequality arising in a reaction-diffusion study in a small cell (*Letter*) (1) 99–101

Karageorghis, A., A conforming spectral technique for biharmonic-type problems in rectangular domains (*Letter*) (2) 275–278
Klein, A.A.B. and **G. Mélard**, The information matrix of multiple-input single-output time series models (3) 349–356
Kölbig, K.S., The complete Bell polynomials for certain arguments in terms of Stirling numbers of the first kind (*Letter*) (1) 113–116

Levrie, P., Some identities for G-continued fractions and generalized continued fractions (1) 85– 97
Liu, J., see **Han, B.** (1) 107–111

Maas, L.R.M., On the surface area of an ellipsoid and related integrals of elliptic integrals (2) 237–249
Markett, C., see **Görlich, E.** (2) 135–157
McKee, S., see **Jumarhon, B.** (1) 99–101
Mélard, G., see **Klein, A.A.B.** (3) 349–356

Elsevier Science B.V.

Mikhail, M.N. and **M.R. El-Tantawy,** The acoustic boundary layers: a detailed analysis (1) 15– 36
Milovanović, G.V. and **P.M. Rajković,** On polynomials orthogonal on a circular arc (1) 1– 13

Nguyen huu Cong, Parallel iteration of symmetric Runge–Kutta methods for nonstiff initial-value problems (*Letter*) (1) 117–125
Niederreiter, H. and **I.H. Sloan,** Integration of nonperiodic functions of two variables by Fibonacci lattice rules (1) 57– 70

Okunbor, D.I. and **R.D. Skeel,** Canonical Runge–Kutta–Nyström methods of orders five and six (3) 375–382
Osada, N., An optimal multiple root-finding method of order three (*Letter*) (1) 131–133
Oswald, P., see **Dahmen, W.** (1) 37– 56

Phillips, G.M., see **Dimitrov, D.K.** (1) 127–130
(3) 411

Qian, Q., see **Argyros, I.K.** (1) 103–106

Rafajłowicz, E., Fast algorithm for generating Bernstein–Bezier polynomials (3) 279–292
Rajković, P.M., see **Milovanović, G.V.** (1) 1– 13
Roberts, D.E., see **Graves-Morris, P.R.** (2) 205–236

Saadallah, A.F., A quasi-Newton method using a nonquadratic model (3) 327–338
Schöttler, G., see **Butzer, P.L.** (2) 159–177
Shi, X.-Q., see **Dahmen, W.** (1) 37– 56
Sideridis, A.B., see **Simos, T.E.** (3) 317–326
Simos, T.E., E. Dimas and **A.B. Sideridis,** A Runge–Kutta–Nyström method for the numerical integration of special second-order periodic initial-value problems (3) 317–326
Skeel, R.D., see **Okunbor, D.I.** (3) 375–382
Sloan, I.H., see **Niederreiter, H.** (1) 57– 70
Sri Ranga, A. and **M. Veiga,** A Chebyshev-type quadrature rule with some interesting properties (*Letter*) (2) 263–265
Stephan, E.P., see **Hartmann, T.** (2) 179–191
Stüpp, O., see **Görlich, E.** (2) 135–157

Tang, S. and **G. Zhu,** On the acceleration convergence of limit periodic continued fractions by the T_{+m} transformation (*Letter*) (2) 267–274
Tang, T., see **Jumarhon, B.** (1) 99–101
Torii, T., see **Hasegawa, T.** (1) 71– 83

Van Daele, M., G. Vanden Berghe and **H. De Meyer,** A smooth approximation for the solution of a fourth-order boundary value problem based on nonpolynomial splines (3) 383–394
Vanden Berghe, G., see **Van Daele, M.** (3) 383–394
Veiga, M., see **Sri Ranga, A.** (2) 263–265

Zhang, D., see **Han, B.** (1) 107–111
Zhang, L., see **Han, G.** (3) 339–348
Zhu, G., see **Tang, S.** (2) 267–274